

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... DEC 12 1979

Returned to applicant for correction..... MAY 13 1980

Corrected application filed.....

Map filed.....

The applicant..... Donnell J. Richards; Virginia Richards and Donna Howell

P. O. Box 547....., of Winnemucca

Street and No. or P.O. Box No. City or Town

Nevada 89445

State and Zip Code No.

....., hereby make.... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... un-named spring
Name of stream, lake or other source.

2. The amount of water applied for is..... .2228015.....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....acre-feet

3. The water to be used for..... Quasi Municipal
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: SW¼ NE¼ of Section 4, T.21N., R. 18 E., M.D.B.&M.

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

it should be stated.

6. Place of use S½ NW¼; SW¼ NE¼; NW¼ SE¼; Section 16, T.21N., R.18E.,
Describe by legal subdivision, if on unsurveyed land it should be so stated.

M.D.B.&M. 160 ± acres

7. Use will begin about January 1st and end about December 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Spring Box and piped to storage tank and piped to property

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$30,000.00

10. Estimated time required to construct works.....2 years

11. Estimated time required to complete the application to beneficial use.....4 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Use is requested for approximately 144 home units annual
consumptive use 52,560,000 gallons annually

Applicant Donnell J. Richards; Virginia
Richards; and Donna Howell

By s/Robert N. Caldwell
Robert N. Caldwell, R.L.S. (agent)
510 Melarkey Street
Winnemucca, Nevada 89445

Compared.....ha/jw

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed_____cubic feet per second_____

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I.....
Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed..... my office, this.....day of.....

Certificate None Issued None A.D. 19None

CANCELED..... **FAILURE TO REFILE**

CORRECTED (Rev. 1-7-74) APPLICATION WITHIN STATUTORY TIME.

State Engineer

STATE ENGINEER